

**EC COMPLIANCE REPORT**  
**&**  
**ENVIRONMENTAL STATUS REPORT**  
**(July 2017 – December 2017)**

**of**

**Hindadih Coal Washery**  
**(Capacity – 3.6 MTPA)**

***Located At***

**Village - Hindadih, Tehsil - Masturi,  
District - Bilaspur, State - Chhattisgarh**

***Project Proponent:***



**Hind Energy & Coal Beneficiation (India) Ltd.**  
**Hindadih Village, Masturi Tehsil,  
Bilaspur District, Chhattisgarh, India**

***Environnent Consultant***

**ANACON LABORATORIES PVT. LTD., NAGPUR**

Recognized by MoEF (GOI) Notifn. No. D.L.33004/99 Dt.03.01.2014

NABL T-1550 (Chemical), T-1826 (Biological), T-2344, (Mechanical)

Accredited under the QCI-NABET Scheme for EIA Consultant

BIS vide No.CL/CQAPD/OSL(7124116) dt.16.12.2011

Certified ISO 9001:2008, ISO 14001:2004, OHSAS 18001:2007

Head Office: 60, Bajiprabhu Nagar, Nagpur-440 033, MS

Lab. : FP-34, 35, Food Park, MIDC, Butibori, Nagpur – 441122

Ph. : (0712) 2242077, 9373287475 Fax: (0712) 2242077

Email: [labnqp@anacon.in](mailto:labnqp@anacon.in), [project@anacon.in](mailto:project@anacon.in)

website: [www.anaconlaboratories.com](http://www.anaconlaboratories.com)

**May 2018**

## Contents

<b>INTRODUCTION .....</b>	<b>1</b>
COMPLIANCE STATUS.....	1
Annexure I .....	11
Boundary Walls and Sprinklers .....	11
Annexure II .....	12
Bag Filters .....	12
Annexure III .....	13
Plantation along the Road Side .....	13
Annexure IV .....	14
Plantation Programmed Carried out by HECBIL.....	14
Annexure V .....	16
Railway Siding at Gatora .....	16
Annexure VI .....	17
Paper Advisement of Environmental Clearance by MOEF .....	17
Annexure VII .....	18
Letters from Truck Manufacturers.....	18
<b>ENVIRONMENTAL STATUS REPORT .....</b>	<b>20</b>
Air Quality Monitoring.....	20
Ambient Air Quality Monitoring .....	20
Ambient Air Quality.....	21
Table 1: MEASUREMENT TECHNIQUES FOR VARIOUS POLLUTANTS .....	21
Table 2: AMBIENT AIR QUALITY MONITORING RESULTS FOR THIS MONITORING PERIOD.....	22
Table 3: FUGITIVE DUST EMISSION MONITORING RESULT .....	22

## INTRODUCTION

**M/s Hind Energy & Coal Beneficiation (I) Ltd, (HECBIPL)** has expanded capacity of its existing Coal beneficiation plant from 2.4 MTPA to **3.6 MTPA** on 01.10.2015 (project commissioned). The coal washery is located at Village Hindadih, Tehsil Masturi, District Bilaspur (C.G.). The raw coal is received generally from SECL Dipka mine which is about 70 km from HECBIPL.

Coal beneficiation is the process for cleaning & reducing ash content in the coal, thus improving the quality of coal. This is a wet type of coal Washery, having obtained environmental clearance vide letter No. J-11015/364/2009.IA-II(M) dated 21<sup>st</sup> May, 2014.

EC Conditions compliance status and Environmental monitoring reports for this monitoring period is given below.

### Compliance Status of conditions stipulated in Environmental Clearance for 3.6 MTPA Coal Washery of M/s Hind Energy & Coal Beneficiation (I) Ltd, (HECBIPL)

## COMPLIANCE STATUS

S. No.	Specific Conditions	Action Taken
i.	Coal transportation shall be by mechanically covered trucks for loading and unloading.	HECB enquired for mechanically covered trucks with leading truck manufacturers in 2013 as well as 2016 also. However, mechanically covered trucks are not available in market, hence transportation of coal is done through tarpaulin covered trucks only (Refer <u>Annexure VII</u> ).
ii.	Green belt in and around the coal washery should be further intensified.	Being complied. The density existing green belt will be increased in phase wise manner. In first phase 4200 saplings planted in September 2016 and 4970 saplings in Oct. 2016. Every year plantation program will be carried to increase greenbelt density. (Refer Annexure III & IV)
iii.	Automatic sprinkler system at the railway siding should be installed.	Complied. Automatic sprinkler system at Gatora railway siding is installed.
iv.	No extension for the work of railway siding will be sought by the proponent.	Complied. Railway siding work has been completed within permitted time schedule and now in operation.
v.	No wastewater will be discharged into drains / water resources.	Complied. No wastewater is discharged into drains / water resources as plant is operating on zero discharge facility.
vi.	In the proposed expansion, technology	Complied. Zero discharge is strictly

S. No.	Specific Conditions	Action Taken
	used for the washing of coal is wet process. Closed circuit water system will be adopted in the proposed expansion project. Zero effluent discharge system will be maintained.	followed by recycling and use of treated water for green belt within the premises. No wastewater is discharged into drains / water resources.
vii.	The proponent should adhere to all the conditions stipulated in letter of Central Ground Water Board letter no.21 4(102)/ CGWA/2011/ 174.	Complied. Proponent is adhering to all conditions of CGWB NoC.
viii.	The assurances given during the Public Hearing and as per the action plan developed by the proponent should be implemented	Complied. Air pollution control equipments are installed and Hind Energy is also actively doing CSR activities. (Refer Annexure II)
ix.	The CSR cost should be Rs 5 per Tonnes of Coal produced which should be adjusted as per the annual inflation.	The CSR expenditure has been increased to INR 1,41,55,567/- by the company till March 2017. HECB is committed to fulfill the statutory obligation of spending minimum 2 % of net profit for CSR activities as per the Companies act 2013.
x.	Three-tier green belt should be developed along the washery boundary and along transfer and loading points and in the proposed railway siding to mitigate/check dust pollution and the entire coal dispatch from the group of mines should be dove-tailed with the Coal evacuation system prepared for the Angul-Talcher. A 3-tier avenue plantation should also be developed along vacant areas, near washery, storage yards, loading points and transfer points and along internal roads and main approach roads and on the 2-km road upto the railway siding and at the siding.	3-tier plantation has been already implemented and in such manner plantation is being done. (Refer Annexure III & IV)
xi.	The raw coal, washed coal and coal wastes (rejects) shall be stacked properly at earmarked site(s) within stockyards fitted with wind breakers/shields. Adequate measures shall be taken to ensure that the stored minerals do not catch fire.	Complied. Raw Coal, Washed coal & coal waste (rejects) are stacked properly at earmarked sites(s) covered with boundary walls. Water Sprinklers are provided on the coal stock to reduce dispersion of coal particulate matter in ambient air. This also helps minimizing risk of coal storages fire.

S. No.	Specific Conditions	Action Taken
		(Refer Annexure I)
xii.	Hoppers of the coal crushing unit and washery unit shall be fitted with high efficiency bag filters and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of closed belt conveyor systems and from transportation roads	Complied. Coal crusher and coal pulverizer of the plant are facilitated with Bag filters of adequate capacity and efficiency so as to comply with particulate emission norms. Mist spray water sprinkling system is provided. Closed conveyor system is provided to prevent fugitive dust emissions. (Refer Annexure II)
xiii.	All approach roads shall be black topped and internal roads shall be concreted. The roads shall be regularly cleaned with 8 mechanical sweepers.	Being complied. All internal roads are concrete & plantation has also been done along the road side wherever possible. Maintenance work is regularly carried out by HECB. (Refer Annexure III)
xiv.	Trucks engaged for mineral transportation outside the washery upto the railway siding covering a distance of 2 km shall be optimally loaded and covered with tarpaulin with no spillage en route. The trucks shall be properly maintained and emissions shall be below notified limits. Facilities for parking of trucks carrying raw coal from the linked coalmines shall be created within the Unit.	Being Complied. All the vehicles engaged in transportation are covered with tarpaulins and are maintained so as to follow emission norms. The vehicle inspection is conducted regularly.
xv.	Records of quantum and ash content of raw coal being washed, and clean coal and coal rejects produced from every batch of washing shall be maintained and details thereof uploaded on the company website	Being Complied. Records are maintained at plant and also uploaded on the website and same can be accessed at <a href="http://www.hindenergy.com">http://www.hindenergy.com</a> .
xvi.	The transportation of coal should be by mechanically covered trucks in order to reduce coal spillage and dust pollution	HECB enquired for mechanically covered trucks with leading truck manufacturers in 2013 as well as 2016 also. However, mechanically covered trucks are not available in market, hence transportation of coal is done through tarpaulin covered trucks only.
xvii.	The waste water should be discharged after proper treatment;	Complied. No wastewater is discharged into drains / water resources as plant is operating on zero discharge facility.

S. No.	Specific Conditions	Action Taken
xviii.	All the conditions stipulated in the letter of Central Ground Water Board letter no. 21-4(102)/CGWA/NCCR/2011/174 dated Nil should be adhered to.	Complied. All conditions in CGWB letter are adhered.
xix.	The time limit should be provided to the Contractual vendors /contractors for providing mechanically covered trucks for coal transportation.	Noted. The mechanically covered trucks are not available with truck manufactures nor intend to manufacture right now. Same will be procured by HECB whenever available in market.
xx.	The washery unit shall be a zero-discharge facility and no wastewater shall be discharged from the washery into the drains/natural water courses. Recycled water shall be used for development and maintenance of green belt and in the Plant Operations.	Complied. Zero discharge is strictly followed by recycling for process and use of treated water for green belt within the premises. No wastewater is discharged into drains / water resources.
xxi.	Industrial wastewater (workshop) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time before use within the washery premises. Oil and grease trap shall be installed for treatment of workshop effluents. No wastewater shall be discharged from the washery into the drains/natural water courses.	Complied. Effluent treatment plant has been constructed and the treated effluent is confirming with CECB standards.
xxii.	No additional groundwater shall be used for the Plant Operations. Any additional water requirement envisaged shall be obtained by recycle/reuse to the maximum extent and from rainwater harvesting measures.	Complied. Water recycled from ETP is re-used in plant operation and only makeup water is withdrawn from groundwater.
xxiii.	Socio-economic and welfare measures for the local communities for the adjoining villages shall be implemented under CSR. Activities under CSR activities to be undertaken for the adjoining villages shall be identified in consultation with the local authorities, the details of status of implementation of CSR and expenditure thereon which	Being complied. The CSR amount was spent on various need based activities like pond construction, education facilities, drainage repairing, borewell construction and medical instrument donations to government hospital etc. The CSR expenditure details are uploaded on the website and same can be accessed at

S. No.	Specific Conditions	Action Taken
	should be annually updated on the company website.	<a href="http://www.hindenergy.com">http://www.hindenergy.com</a> .
xxiv.	Heavy metal content in raw coal, and washed coal shall be analysed once in a year and records maintained thereof.	Complied. Analysis of heavy metal content in raw coal, washed coal is carried out.
xxv.	The project authorities shall in consultation with the Panchayats of the local villages and administration identify socio-economic and welfare measures under CSR to be carried out over the balance life of the mine.	Complied. The company is actively doing CSR activities in consultation with panchayats of nearby villages.
xxvi.	The commitment made by the Proponent to the issue raised during Public Hearing shall be implemented by the Proponent.	Complied. Air pollution control equipments are installed and Hind Energy is also actively doing CSR activities.
xxvii.	<p>Corporate Environment Responsibility:</p> <p>a) The Company shall have a well laid down Environment Policy approved by the Board of Directors.</p> <p>b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/ violation of the environmental or forest norms/conditions.</p> <p>c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.</p> <p>d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.</p>	Complied. Corporate Environment Policy in place and adhered.

**General Conditions:**

Sr. No.	General Conditions	Action Taken
i.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	Noted and agreed.
ii.	No change in the calendar plan of production for quantum of mineral coal shall be made.	Noted and agreed.
iii.	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.	Complied. Four nos. of ambient air quality monitoring stations have been established & are operational for monitoring ambient air data. Heavy metals (Hg, As, Ni, Cd & Cr) are monitored. Ambient air quality monitoring data for current monitoring period is enclosed along with Status report.
iv.	Data on ambient air quality (PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> ) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognised under the EPA rules, 1986 shall be furnished as part of compliance report.	Being Complied on regular basis.
v.	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc. shall be provided with ear plugs/muffs.	Complied. Machines & equipment's producing noise are covered with sound absorbing material & ear plugs/muffs are being provided to the workers in noisy environment.
vi.	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Complied. Effluent treatment plant has been constructed and the treated effluent is confirming with CECB standards.
vii.	Vehicular emissions shall be kept under	Being complied. All the vehicles



Sr. No.	General Conditions	Action Taken
	control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	engaged in transportation are covered with tarpaulins and are maintained so as to follow emission norms.
viii.	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EPA Rules, 1986.	Complied. The environmental quality is being regularly monitored and analyzed through M/s Anacon Laboratory Pvt. Ltd., Nagpur, a MoEF recognized and NABET & NABL accredited Laboratory.
ix.	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Complied. Protective Respiratory Devices are provided & safety appliances are being used by the workers. Shoes, mask helmet safety belt & ear plug, have been provided & adequate training has been given to workers.
x.	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Complied. Protective Respiratory Devices are provided & safety appliances are being used by the workers. Shoes, mask helmet safety belt & ear plug, have been provided & adequate training has been given to workers. Regular health checkup taken periodically.
xi.	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company	Being complied. Separate environment cell is in place which is headed by senior person.
xii.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.	The details of fund used for environmental protection measures are provided in Annexure VIII. A separate account (SBI, Bilaspur; A/c. No. 36262584886) has been opened for Environmental protection measures and year wise expenses will be submitted to Regional office periodically with Six monthly EC compliance reports.
xiii.	The Project authorities shall advertise at least	After receipt of EC letter dtd. 21 <sup>st</sup>

Sr. No.	General Conditions	Action Taken
	in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> .	May 2014 same is give to newspaper office immediately for publishing. However it was published on 30 <sup>th</sup> May 2016. (Refer Annexure VI)
xiv.	A copy of the environmental clearance letter shall be marked to concern Panchayat/Zila Parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on company's website.	Circulated and displayed in Gram Panchayat. EC letter was now uploaded on the company website along with other relevant data. Same can be accessed at <a href="http://www.hindenergy.com">http://www.hindenergy.com</a> .
xv.	A copy of the environmental clearance letter shall be shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Sector and Collector's Office/Tehsildar's Office for 30 days.	In purview of CECB, CG.
xvi.	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant such as PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	EC letter was now uploaded on the company website along with Six monthly EC compliance reports till date along with environmental quality monitoring data. Environmental monitoring data is also displayed on main gate of the company.
xvii.	The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry,	Being complied.

Sr. No.	General Conditions	Action Taken
	respective Zonal Office s of CPCB and the SPCB.	
xviii.	The Regional Office of this Ministry located in the Region shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	Noted and full co-operation will be given to the official of the Hon'ble Ministry and all data/document/reports as sought by them will be submitted.
xix.	The Environmental statement for each financial year ending 31 March in For –V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF by e-mail.	Being complied. Environmental Statement for each year is submitted to CECB regularly.

**Other Conditions:**

Sr. No.	Other Conditions	Action Taken
1.	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report so also during their presentation to the EAC.	Being Complied. Air pollution control measures and zero discharge measures have been installed. Plantation is done every year to increase green belt.
2.	The commitment made by the Proponent to the issue raised during Public Hearing shall be implemented by the Proponent	Complied.
3.	The proponent is required to obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Complied. All clearances required are obtained.
4.	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Noted.
5.	The Proponent shall setup an Environment Audit cell with responsibility and accountability to ensure implementation of all the EC Conditions.	Being complied. Environment Cell is established for monitoring of EC

Sr. No.	Other Conditions	Action Taken
		conditions.
6.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted and agreed.
7.	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	Noted and agreed.
8.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
9.	This EC supersedes the earlier EC, vide letter no. J-11015/190/2007-IA.II (M) dated 24.06.2008.	Noted.

## Annexure I Boundary Walls and Sprinklers



## Annexure II Bag Filters



**Annexure III**  
**Plantation along the Road Side**



**Annexure IV**  
**Plantation Programmed Carried out by HECBIL**







## Annexure V

### Railway Siding at Gatora



Annexure VI

Paper Advisement of Environmental Clearance by MOEF

**संभाव**

सी 41

पिकअप ने मारी ठोकर एक की मौत, एक गंभीर

जशपुरनगर(निप्र)। बुधवार शाम पिकअप की ठोकर से एक ग्रामीण का मौत हो गई। वहीं एक युवक गंभीर रूप से घायल हो गया है, जिसे उपचार के लिए जिला अस्पताल में भर्ती कराया गया। युवक की गंभीर स्थिति को देखते हुए उसे रांची रेफर किया गया है, जहां उसकी स्थिति गंभीर बनी हुई है। घटना सिटी कोतवाली अंतर्गत ग्राम लोखंडी की है। जानकी के अनुसार लोखंडी निवासी बिरबहादुर (40) पिता सोमया नगिसिया अपनी पत्नी व बेटे के साथ किसी कार्य के सिलसिले से मेन रोड की ओर निकला हुआ था। वहीं जशपुर के मधुवनटोली निवासी राजकुमार (20) पिता करणदेव यादव भी अपने निजी कार्य के सिलसिले से बाइक से लोखंडी की ओर गया हुआ। इस दौरान लोखंडी मेन रोड में पिकअप क्रमांक सीजी 14 एफ 0131 का चालक संदीप घासी पिता सुंदर घासी वाहन को तेज रफ्तार से चलाते हुए आया और पहले बाइक सवार राजकुमार को ठोकर मार दिया, जिसके बाद वाहन चालक का नियंत्रण बिगड़ा और अपने परिवार के साथ रोड में खड़े बिरबहादुर को ठोकर मार दी। घटना में ग्रामीण बिरबहादुर का मौके पर ही मौत हो गई। वहीं बाइक चालक के सिर में गंभीर चोट आई है व उसका पैर भी फैंकर हो गया।

## चिखलाडीह के वीरान जंगल से चार लाख की लकड़ी जब्त

**अधिकारपुर(निप्र)।** नगर से लगे ग्राम चिखलाडीह में साल जंगल के सफाए के चौथे दिन मौके पर यहां-वहां बिखरी पड़ी लकड़ियों को राजस्व विभाग ने वन विभाग के सुपुर्द कर दिया। कुल 20.806 घन मीटर साल की लकड़ी मौके से जब्त की गई है, जिसकी अनुमानित कीमत लगभग चार लाख रुपए आंकी गई है। वन विभाग द्वारा ट्रकों से लकड़ियों का परिवहन काष्ठगार में कराने का सिलसिला शुरू कर दिया गया है। चार ट्रीप में लकड़ियों का परिवहन प्रतापपुर नाका स्थित काष्ठगार में कराया गया। ग्रामीणों के घरों और बाड़ियों में छिपाकर रखी गई साल की बेशकियत लकड़ियों के जब्त की लोकर अभी तक कोई अंतिम निर्णय नहीं लिया गया है। सचं वारंट के बाद ग्रामीणों

राजस्व विभाग ने वन विभाग के सुपुर्द की लकड़ियों

घरों व बाड़ियों से लकड़ी जब्त करना अभी शेष

ने साफ कर दिया। पिछले दो दिन से जंगल में जहां-तहां बिखरी पड़ी साल की बोगी, बल्ली व लट्टा को दूसरे गांव से श्रमिक मंगाकर एक खुले स्थान में संग्रहित कराने का काम किया जा रहा था जो बुधवार दोपहर बाद पूरा हो गया। जंगल में लावारिस हाल में बिखरी पड़ी कुल 246 बोगी, कंडी व लट्टा जब्त किया गया। बताया गया कि मौके से 20.806 घनमीटर साल की लकड़ी जब्त की गई। प्रति घनमीटर औसत 20 हजार रुपए की दर से बिकने वाली साल की लकड़ियों की अनुमानित कीमत लगभग चार लाख रुपए आंकी गई है। बुधवार देर शाम माफजोख का काम पूरा होने के बाद राजस्व विभाग ने जब्त लकड़ियों को वन विभाग के सुपुर्द कर दिया।

आयोग को पत्रों और से सीलनदार को 259 की है। भेटेड का है। वहीं का 41

ली के धार पर भारसी धनी को किया बाद आगे

एसडीएम नेग्रामक या था दी गई है। सीलनदार

बा में सिंह 30 को जिले मण पर और ि भ - न स कार्यो लोकापण डॉ. 30 मई लोकोट्टर 40 बजे कोरवा से दोपहर आयुर्वेद 0 बिस्तर 11 12.30 भान कर फुटबाल 12.40 सरस्वती भवन, क्षेत्रीय शा क्षेत्रीय व्यापार

**कार्यालय कार्यपालन अभियंता, लो.नि.वि. (भ/स) संभाग जशपुर**

**निविदा आमंत्रण सूचना**

क्रमांक - 1335/NIT-1/2014-2015/व.ले.लिन. दिनांक 26.05.2014

निविदा प्रपत्र क्रय करने हेतु आवेदन प्रस्तुत करने की अंतिम तिथि - 11.06.2014 अपरान्ह 5.30 बजे तक

टेकनदारों द्वारा प्रस्तुत निविदायें प्राप्त करने की अंतिम तिथि - 18.06.2014 अपरान्ह 5.30 बजे तक

निविदा खोलने की तिथि - 19.06.2014 पूर्वाह्न 11.30 बजे तक

लनआईटी क्र./ निविदा क्र.	कार्य का नाम / No. of Calls	कार्य की अनुमानित लागत (लाख में)/ अमानत राशि (रु. में)/ बैंक साल्वेंसी (रु. में)	निविदा प्रपत्र की कीमत (रु. में)	निविदाकारों की श्रेणी	कार्य की अवधि	दर सूची संशोधन ति.
0003	जशपुर विकासखण्ड जशपुर में कृषक सूचना केंद्र भवन का निर्माण - प्रथम आमंत्रण	6.26 4700.00 94000.00	A 750.00	सिविल कार्य अ-5 से अ-1 तक	05 माह 00 दिवस वर्षा ऋतु सहित	1-SOR for Building Work (Civil) Issued by EInC PWD Chhattisgarh w.e.f 01-06-09 & amended upto : 11.11.2011
0004	गम्हरिया विकासखण्ड जशपुर में कृषक सूचना केंद्र भवन का निर्माण - प्रथम आमंत्रण	6.26 4700.00 94000.00	A 750.00	सिविल कार्य अ-5 से अ-1 तक	05 माह 00 दिवस वर्षा ऋतु सहित	1-SOR for Building Work (Civil) Issued by EInC PWD Chhattisgarh w.e.f 01-06-09 & amended upto : 11.11.2011
0005	लोदम विकासखण्ड जशपुर में कृषक सूचना केंद्र भवन का निर्माण - प्रथम आमंत्रण	6.26 4700.00 94000.00	A 750.00	सिविल कार्य अ-5 से अ-1 तक	05 माह 00 दिवस वर्षा ऋतु सहित	1-SOR for Building Work (Civil) Issued by EInC PWD Chhattisgarh w.e.f 01-06-09 & amended upto : 11.11.2011

निविदा संबंधी अन्य शर्तों का अवलोकन विभागीय वेबसाइट [www.cg.nic.in/pwdraipur](http://www.cg.nic.in/pwdraipur) में अथवा संबंधित संभाग में किया जा सकता है।

साइकल को या वायुयान से नहीं चढ़ाया जा सकता

कार्यपालन अभियंता लो.नि.वि. (भ/स) संभाग जशपुर

**Annexure VII**  
**Letters from Truck Manufacturers**



To,

26/09/2018

The Director,

Hind Energy & Coal beneficiation (India) Ltd.,

Bilaspur.

Sub: Your query regarding mechanically covered & operated trucks.

Sir,

This is in reference to your letter dated 23/09/2018 regarding a query of mechanically covered & operated trucks.

We wish to inform you that presently we are not providing any mechanically covered & operated trucks in Tractor Traller range.

Regards,

For,

Tata Motors Limited.

**TATA MOTORS LIMITED**

Parthivi Pacific 2nd Floor Above Axis Bank Tatibandh GE Road Raipur 492 009 Chhattisgarh  
Tel 91 771 6675501 Fax 91 771 6675523 www.tatamotors.com  
Registered Office Bombay House 24 Homi Mody Street Mumbai 400 001



**To Whomsoever It May Concern:**

This is to certify that our company "AMW Motors Ltd" is one among the largest manufacturer of the heavy commercial vehicles in India.

Furthermore, we certify that we do not manufacture any heavy commercial vehicles which are mechanically covered and operated, and further till date we have no future plans to manufacture the same.

This is for you kind reference.

Assuring best services all time.



**AMW Motors Ltd.**

**AMW MOTORS LTD**

(Demerged entity of Asia Motor Works Ltd.)

**Plant & Regd. Office :** 34 Km. Milestone, Bhuj - Bhachau Road, Village Kanlayabe, Kachchh, Gujarat 370 020, India  
Tel.: (91-2832) 243700-10 (11 lines), Fax : (91-2832) 243726 / 30.

**Web :** [www.amwasia.com](http://www.amwasia.com)

**Corporate Office :** Asia MotorWorks Ltd. 7th Floor, Tower I, Equinox Business Park, (Peninsula Techno Park)  
Off Bandra Kurla Road, L.B.S Marg, Kurla (West) Mumbai - 400 070.  
Tel. : (91-22) 67101501 / 02 Fax: (91-22) 67101503 / 04

## ENVIRONMENTAL STATUS REPORT

### Air Quality Monitoring

Regular monitoring of environmental parameters is of immense importance to assess the status of environment. With the knowledge of baseline conditions, the monitoring program will serve as an indicator for any deterioration in environmental conditions due to mining operation. Suitable mitigation steps will be taken in time to safeguard the environment, based on monitoring reports. Monitoring is important in the control of pollution since the efficiency of control measures can only be determined by monitoring.

In order to find out the impact of plant activity on sensitive receptors, it is necessary to monitor Environmental Quality to know the level of concentrations of pollutants within and around the plant area. Accordingly Hind Energy & Coal Beneficiation (India) Ltd. monitoring air, quality on monthly basis.

### Ambient Air Quality Monitoring

Ambient Air Quality was monitored at four locations within plant premises and four locations in nearby villages. Fugitive emissions were monitored at two locations in the plant premises.

The sampling stations are selected at the above mentioned locations, in downwind and upwind directions of the Industry. ALPL is carrying out regular monitoring for, SPM, RPM, SO<sub>2</sub>, NO<sub>x</sub> and heavy metals at above Ambient Air Quality Monitoring (AAQM) locations. Monitoring of fugitive emissions include parameters SPM, PM<sub>10</sub>, SO<sub>2</sub> & NO<sub>x</sub>.

### Frequency of Sampling

Ambient air quality monitoring was carried out on 24 hourly on quarterly basis (once in a quarter) for the monitoring period.

### Duration of Sampling

The duration of sampling for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub> and heavy metals is twenty-four hourly. Data is compared with the standards mentioned in the Gazette Notification of the Central Pollution Control Board (CPCB) Notification 16<sup>th</sup> Nov. 2009.

### Methods and Instruments used for Sampling

The air samples were analyzed as per methods specified by Central Pollution Control Board (CPCB).

The levels of Suspended Particulate Matter, Respirable Particulate Matter, Sulphur Dioxide (SO<sub>2</sub>), Oxides of Nitrogen (NO<sub>x</sub>) & heavy metals were monitored for identifying the impact on surrounding area. PM<sub>10</sub> and PM<sub>2.5</sub> were collected with the help of Respirable particulate sampler and Fine particulate sampler operating 24 hours and is computed by gravimetric method. Due to the high flow rate of air, the vacuum is formed into the hopper region of sampler which is tapped by providing a nozzle in the hopper which sucks the ambient air for sampling SO<sub>2</sub> and NO<sub>x</sub>. The gases were measured by wet chemical method and were

analyzed by colorimetric. The measurement techniques used for various pollutants and other details are given in (Table 1).

**Table 1: MEASUREMENT TECHNIQUES FOR VARIOUS POLLUTANTS**

S. No.	Parameter	Method	Technical Protocol	Minimum Detection limit ( $\mu\text{g}/\text{m}^3$ )
1.	Suspended Particulate Matter, SPM	Respirable Dust Sampler (Gravimetric Method)	IS-5182 (Part – IV)	5
2.	Respirable Particulate Matter, $\text{PM}_{10}$	Respirable Dust Sampler (Gravimetric Method)	IS-5182 (Part – IV)	5
3.	Fine Particulate Matter, $\text{PM}_{2.5}$	Fine Particulate Sampler (Gravimetric Method)	IS-5182 (Part-IV)	-
4.	Sulphur Dioxide	Improved West and Geake Method	IS-5182 (Part – II)	4
5.	Oxide of Nitrogen	Jacob & Hochheiser Modified Method	IS-5182 (Part – VI)	4
6.	Heavy Metals	Acid digestion	CPCB Guideline (Vol. 1)	0.0001

### Ambient Air Quality

The ambient air quality monitoring was carried out at 4 locations in the Plant premises and 4 locations in the nearby villages in upwind, downwind and crosswind directions of the coal washery project. The air quality monitoring was conducted for  $\text{PM}_{10}$ ,  $\text{PM}_{2.5}$ ,  $\text{SO}_2$ ,  $\text{NO}_x$  and heavy metals during this monitoring period.

Fugitive emission monitoring was carried out at two locations within the washery premises during this period for the parameters which includes SPM,  $\text{PM}_{10}$ ,  $\text{SO}_2$  &  $\text{NO}_x$ .

The results of ambient air quality monitoring during this monitoring period are given in **Table 2** and the results of fugitive emission monitoring are given in **Table 3** below:

Overall the ambient air concentrations of  $\text{PM}_{10}$ ,  $\text{PM}_{2.5}$ ,  $\text{SO}_2$ ,  $\text{NO}_x$  and heavy metals were observed to be well within the limits of concentrations promulgated by CPCB, New Delhi.

National Ambient Air Quality Standard:

$\text{PM}_{10}$  (RPM):  $100 \mu\text{g}/\text{m}^3$ ,

$\text{PM}_{2.5}$ :  $60 \mu\text{g}/\text{m}^3$

$\text{SO}_2$  :  $80 \mu\text{g}/\text{m}^3$  and

$\text{NO}_x$  :  $80 \mu\text{g}/\text{m}^3$

**Table 2: AMBIENT AIR QUALITY MONITORING RESULTS FOR THIS MONITORING PERIOD**

*[Report For The Month of July-August-September-2017 (Qtrly)]*

Report No.:-	AN/AA/HECBIL/2017-18/300-1	Report Date:-	25.09.2017
Name of Client & Address:-	<b>M/s HIND ENERGY AND COAL BENEFICATION ( I ) LTD.</b> <b>Village:- Hindadih, Sipat , Bilaspur (C.G.)-495 001.</b>		
Type of Work :-	Ambient Air Monitoring (September-2017)	Sample Ref.No. :-	1718/Mon-156-1
Sample Drawn By :	Anacon Representative	Sample Received Date	18.09.2017
Date of Analysis :-	19.09.2017 To 20.09.2017	Testing Period	01 Day

(24 hrs Sampling)

SL. No.	Sampling Location	Sampling Date	PM <sub>10</sub> µg/m <sup>3</sup>	PM <sub>2.5</sub> µg/m <sup>3</sup>	SO <sub>2</sub> µg/m <sup>3</sup>	NO <sub>x</sub> µg/m <sup>3</sup>
1.	Near Steel Yard	12.09.2017	56.1	17.9	8.2	23.6
2.	Near Rotary Breaker	12.09.2017	48.7	16.8	7.1	17.3
3.	Near Dispatch	13.09.2017	62.8	23.1	8.4	26.4
4.	Near Barrack	13.09.2017	51.3	18.4	7.3	18.9
<b>CPCB Standards</b>			<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>

(24 hrs Sampling)

SL No.	Sampling Location	Sampling Date	Pb µg/m <sup>3</sup>	As ng/m <sup>3</sup>	Ni ng/m <sup>3</sup>	Cd µg/m <sup>3</sup>	Cr µg/m <sup>3</sup>
1.	Near Steel Yard	12.09.2017	0.041	ND	0.068	ND	ND
2.	Near Rotary Breaker	12.09.2017	0.032	ND	0.054	ND	ND
3.	Near Dispatch	13.09.2017	0.046	ND	0.062	ND	ND
4.	Near Barrack	13.09.2017	0.029	ND	0.046	ND	ND
<b>CPCB Standards</b>			<b>1.0</b> (24 hrs)	<b>6.0</b> (annual)	<b>20.0</b> (annual)	---	---



**[Report For The Month of October-November-December-2017 (Qtrly)]**

Report No.:-	AN/AA/HECBIL/2017-18/352-1	Report Date:-	20.12.2017
Name of Client & Address:-	<b>M/s HIND ENERGY AND COAL BENIFICATION ( I ) LTD. Village:- Hindadih, Sipat , Bilaspur (C.G.)-495 001.</b>		
Type of Work :-	Ambient Air Monitoring (November-2017)	Sample Ref.No. :-	1718/Mon-156-1
Sample Drawn By :	Anacon Representative	Sample Received Date	10.11.2017
Date of Analysis :-	10.11.2017 To 11.11.2017	Testing Period	01 Day

**(24 hrs Sampling)**

SL. No.	Sampling Location	Sampling Date	PM <sub>10</sub> µg /m <sup>3</sup>	PM <sub>2.5</sub> µg /m <sup>3</sup>	SO <sub>2</sub> µg /m <sup>3</sup>	NO <sub>x</sub> µg /m <sup>3</sup>
1.	Near Steel Yard	07.11.2017	59.8	20.7	9.7	21.0
2.	Near Rotary Breaker	07.11.2017	42.2	22.3	8.8	19.7
3.	Near Dispatch	08.11.2017	66.4	26.2	8.7	21.5
4.	Near Barrack	08.11.2017	61.5	20.7	8.4	17.9
<b>CPCB Standards</b>			<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>

SL No.	Sampling Location	Sampling Date	Pb µg /m <sup>3</sup>	As ng/m <sup>3</sup>	Ni ng/m <sup>3</sup>	Cd µg /m <sup>3</sup>	Cr µg /m <sup>3</sup>
1.	Near Steel Yard	07.11.2017	0.033	ND	0.070	ND	ND
2.	Near Rotary Breaker	07.11.2017	0.041	ND	0.064	ND	ND
3.	Near Dispatch	08.11.2017	0.051	ND	0.069	ND	ND
4.	Near Barrack	08.11.2017	0.035	ND	0.055	ND	ND
<b>CPCB Standards</b>			<b>1.0</b> (24 hrs)	<b>6.0</b> (annual)	<b>20.0</b> (annual)	---	---

**Table 3: FUGITIVE DUST EMISSION MONITORING RESULT**

**[Report For The Month of July-August-September-2017 (Qtrly)]**

(24 Hrs sampling)

Report No.:-	AN/AA/HECBIL/2017-18/300-1	Report Date:-	25.09.2017
Name of Client & Address:-	<b>M/s HIND ENERGY AND COAL BENEFICATION ( I ) LTD. Village:- Hindadih, Sipat , Bilaspur (C.G.)-495 001.</b>		
Type of Work :-	Ambient Air Monitoring (September-2017)	Sample Ref.No. :-	1718/Mon-156-1
Sample Drawn By :	Anacon Representative	Sample Received Date	18.09.2017
Date of Analysis :-	19.09.2017 To 20.09.2017	Testing Period	01 Day

SL. NO.	Sampling Location	Sampling Date	SPM µg /m <sup>3</sup>	SO <sub>2</sub> µg /m <sup>3</sup>	NO <sub>x</sub> µg /m <sup>3</sup>
1	Near Weight Bridge	12.09.2017	304	12.8	32.4
2	Near Environment Lab	13.09.2017	181	8.4	17.9
CPCB Standards			--	--	--

**[Report For The Month of October-November-December-2017 (Qtrly)]**

Report No.:-	AN/AA/HECBIL/2017-18/352-1	Report Date:-	20.12.2017
Name of Client & Address:-	<b>M/s HIND ENERGY AND COAL BENIFICATION ( I ) LTD. Village:- Hindadih, Sipat , Bilaspur (C.G.)-495 001.</b>		
Type of Work:-	Ambient Air Monitoring (November-2017)	Sample Ref.No. :-	1718/Mon-156-1
Sample Drawn By:	Anacon Representative	Sample Received Date	10.11.2017
Date of Analysis:-	10.11.2017 To 11.11.2017	Testing Period	01 Day

SL. NO.	Sampling Location	Sampling Date	SPM µg /m <sup>3</sup>	SO <sub>2</sub> µg /m <sup>3</sup>	NO <sub>x</sub> µg /m <sup>3</sup>
1	Near Weight Bridge	07.11.2017	298	10.9	28.7
2	Near Environment Lab	08.11.2017	209	9.7	18.2
CPCB Standards			--	--	--

---XXX---